

TREASURY DEPT.

U. S. COAST GUARD

D
OAN
ASH

BEP89

RR BMPJ BEPJC 222 DE BHPJ 38

NRV Y NNHE NRPX

A LOCU 192125Z FUMZ W LINE NNHE NRPY NRPX GR 76 BT

F
R
O
M

A
C
T
I
O
N

I
N

F
O
R
M

FM CCGD FOURTEEN

TO COMWESPAC SECT GUAM

INFO COMDT CG- CGC TRILLIUM-CGC PLANETREE-CGC BUTTONWOOD

file mly

7-12

TEXT

DCS X RETURN COCOS LTS TO SERVICE PRESENT SITE AS SOON AS POSSIBLE X
 RECONSTRUCT STATION USING TEMPORARY HUTS FOR POWER AND LORAN
 EQUIPMENT WITH TENTS AND FIELD EQUIPMENT FOR OTHER REQUIREMENTS X
 RECOMMEND USING TRILLIUM AS QUARTERBOAT X RETAIN BUTTONWOOD YOUR AR-
 EA TILL FURTHER ADVISED X AUTH EFFECT TEMP TRANSFER BUTTONWOOD TRILL-
 IUM AND PLANETREE PERSONNEL AS NECESSARY THIS JOB X FURTHER INSTRUCT-
 IONS BY DISPATCH X AUTH DELAY EXECUTION ROTATION ORDERS PERSONNEL CWR
 DURING PRESENT EMERGENCY BT 192125Z

19/2135Z NOV BHPJ

TREASURY DEPT.

U. S. COAST GUARD

BEP 92
 NMNM BEPJC
 DE BHPJ 41

OSU
 OAN
 ECV
 EEE

FM 192210Z
 FM CCGD FOURTEEN

F
 CB

TO COMDT COGARD
 GRNC

file Wg

7-12

TEXT

DCS TO OSU X OAN X ECU X EEE X F X

TYPHOON DAMAGE COCOS LORAN STATION REPORTS TO DATE INDICATE X
 ENTIRE STATION INUNDATED X ALL ANTENNA POLES CARRIED AWAY X CO
 STATION STATES ABSOLUTELY NOTHING TO BE SALVAGED FROM OLD STATION X
 LCM MISSING X DOCK CARRIED AWAY X NO PERSONNEL CASUALTIES X REQUEST
 ADDITIONAL ALLOTMENT FUNDS IN AMOUNT THIRTY THOUSAND DOLLARS
 TO EFFECT EMERGENCY RECONSTRUCTION

19/2214Z NOV BHPJ

OPERATOR'S RECORD AND DATE

JD DA 1949

OFFICIAL INITIALS

□

U. S. COAST GUARD

TREASURY DEPT.

BEP122
BHP C129
NMNM BEPJC
DE BHPJ 48

ECV
O
FS
EEE
E
OSU
CB

FROM NM 222300Z
FM CCGD FOURTEEN

ACTION TO COMDT COGARD

GRNC

COPY

7-12

TEXT

E TO ECV X O X FS X EEE X MY 192210Z X REQUEST APPROVAL ON NEW STATION FOR COCOS TO BE CONSTRUCTED SIMILAR TO THAT PROPOSED UNDER

THIS OFFICE 2609 DATED 5 OCT NR ECV -183-50 FOR ULITHI EXCEPT THAT ALL BUILDINGS WILL BE SET ON CONCRETE PIERS PROJECTING INTO LIVE

CORAL APPROXIMATELY 2 FT X PIERS TO EXTEND 4X FT ABOVE CORAL TO UNDERSIDE OF REINFORCED FLOOR SLAB A D BUILDINGS TO HAVE 4 FT

REINFORCED CONCRETE WALLS UPON WHICH WILL BE PLACED QUONSET SIMILAR TO THOSE PROPOSED FOR THE VARIOUS BUILDINGS FOR ULITHI EXCEPT THAT

ALL VERTICAL SIDE STEEL AWNING TYPE WINDOWS TO BE ELIMINATED AND STANDARD QUONSET WINDOWS TO BE USED X TOTAL ESTIMATED COST FOR

COMPLETE REBUILDING STATION INCLUDING INSTALLING NEW 120 FT ANTENNA MAST NOW ON HAND \$289,000 X REQUEST APPROVAL AND ALLOTMENT OF FUNDS

TO PERMIT IMMEDIATE ACTION TOWARDS REBUILDING STATION X CONFIRMING 2609 WILL BE SUBMITTED

REF:

DCS TO OSU X OAN X ECU X EEE X F X TYPHOON DAMAGE COCOS LORAN STA REPORTS TO DATE INDICATE X ENTIRE STATION INUNDATED X ETC.....

CFN 192210Z 2609 5 ECV-183-50 2 4 4 120 \$289,0000 2609

OFFICIAL INITIALS
DATE

22/2518Z NOV BHPJ
LA-AL-1949

OFFICIAL INITIALS

12/27/49

ZTS

~~Ailo~~

Cocos Isl -

17 Nov 1949 Demolished by
typhoon + is now off the air. It
is a master station for Mananaes Chan.
Taparang site being established.

Dist + considering relocation of site.

Relocate on
old site 1950

U. S. COAST GUARD

TREASURY DEPT.

BEP 122
HEADING

NNNM BEPJ

FDE BHPJ 45
NM 092123Z
FM CCGD FOURTEENA
C
T
I
O
N
I
N
F
O
R
MTO COMDT COGARD
GRNC

0

OSU

OAN

ECV

EEE

F
CB

ENE-23

TEXT

ECV AND F TO ECV AND CB X MY 192210Z NOVEMBER AND YOUR 212130Z NOVEMBER
X REQUEST ADDITIONAL ALLOTMENT TWELVE THOUSAND DOLLARS PERMIT
COMPLETING PURCHASE OF MATERIALS REQUIRED FOR TEMPORARY REBUILDING
COCOS X EXPEDITE

REF: DCS TO OSU X OAN X ECU X EEE X F X TYPHOON DAMAGE COCOS
LORAN STATION REPORTS TO DATE INDICATE X ENTIRE STATION
INUNDATED X ALL ANTENNA POLES CARRIED AWAY ETC

1820 14M 2 18 05

CG HEVDON 101282

CFN 192210Z 212130Z

OPERATOR'S RECORD AND DATE

XRREM 1950

09/2123Z JAN BHPJ

OFFICIAL INITIALS

Chief, Legal Division

10 March 1950

OSU

Chief, Office of Operations

Board of Investigation No. 3488 inquiring into the damage caused by the Typhoon "Allyn" at Loran Transmitting Station, Cocos Island, M. I.

The proceedings, findings, and opinions of the Board are approved subject to the comments of the convening authority. *except that part of*

my opinion relative to commendation of CPO glass, which is not approved.

A. G. HALL

Chief, Office of Operations

2-7
5/9/50

FORWARDED 2-7-50 10/1/50

2-7

R B Price

5-5-50

SHE:RM

OSU

RETURN TO 7-12

(Fill in blocks as initialled - do not use for routing)

OFFICE OR DIVISION DESIGNATORS	OSU	O												
INITIALS OF RESPONSIBLE OFFICERS	<i>MB</i>													
INTRA-OFFICE OR DIVISION INITIALS		<i>hso</i>												

ROUTING SHEET

CONTROL NUMBER

35924

TIME OF RELEASE

FROM: BUDGET DIVISION, PLANNING & CONTROL STAFF

IMPORTANT

1. This request must be forwarded promptly so that the Chief, Budget Division may take final action on the matter without unnecessary delay. If this request is referred to an office not listed in the following routing, call 5308. If it is necessary to delay submitting a recommendation on this request, detach carbon copy of form, note reason for delay, and return copy to Chief, Budget Division.

2. Final action on allotting funds and approving or disapproving expenditures will be taken by the Chief, Budget Division. Letters, dispatches, etc., to this effect will be prepared for his signature.

BUDGET DIVISION
RECEIVED

1950 MAR 13 12 37

ORIGINATOR OF REQUEST

Loran Transmitting Station

DATE OF REQUEST

DISTRICT: 14th District

UNIT:

Cocos Island, Marianas Gp

2 March 1950

LETTER IDENTIFICATION

DISPATCH DATE-TIME GROUP

REQUISITION IDENTIFICATION

IDENTIFICATION OF OTHER REQUEST FORMS

APPROPRIATION & SUBHEAD

AMOUNT REQUESTED

SUBJECT

Proj. cov 446-50

\$ 227,230.00

Construct and equip station completely demolished
18 November 1949. \$225,000.00

ROUTING ORDER	ROOM OR STATION	OFFICE OR DIVISION	DATE OF RECEIPT	DATE OF RELEASE	RECOMMENDATIONS AND INITIALS
1.	6-3	CB			Under Appn. 20X1240, proj. 05501, Pacific Loran, \$2,265.530 is available. C. B. ARRINGTON Chief, Budget Division
2.	7-3	OAN		3-17	Forwarded approved subject to the understanding that the Pacific loran reconstruction program of units listed in Commandant's letter of 8 June, 1949, file OSU, 601 will be completed in its entirety from funds available in appropriations currently in force. It is not proposed to request additional funds in future appropriations to complete this rehabilitation program.
3.	7-12	OSU		3/20	CEN. DANIEL
4.	5-1	ECV			1. Forwarded. Attention is called to IND 2 relative to H/L 8 June 1949 (OSU 601), which indorsement is concurred in. 2. Operational requirements on Cocos consist of typhoon-proof buildings, elevated above the probable level of tidal waves which may sweep the island, suitable for housing standard loran transmitting equipment and providing emergency shelter for personnel in typhoon weather, plus quonset type barracks, galley, mess hall, office, storage, and related service structures, substantially as set forth in basic Form 2609. 3. In this regard, total personnel allowance for this unit is not expected to exceed one officer and 17 men at any time; therefore, facilities for a total of not more than 20 persons will meet present and anticipated operational requirements. 4. Project is approved subject to engineering review, availability of funds and the foregoing comments.