

*file in unit folder
P.L.S.*

Subj: Critical and Non-critical shortages; submission of

7. This unit holds the service allowance but does not have the prescribed training. These shortages are listed in enclosure (5)

Commanding Officer
USCG LORSTA Ocean Cape
Yakutat, Ak.
99689

*MAY 17 1972
ADD TO NAVIGATION
17th CG DISTRICT*

3200
12 May 1972

B. D. BENSON

From: Commanding Officer, USCG LORSTA Ocean Cape
To: Commander, Seventeenth Coast Guard District (c)

Subj: Critical and Non-critical Shortages; submission of

Ref: (a) CCGD Seventeen Msg 100045Z/31 May 72
(b) COGARD LORSTA Ocean Cape Msg 100855Z May 72

1. Reference (a) directed us to submit a list of critical and non-critical shortages.

2. Reference (b) gave specific areas where there were critical shortages, but did not itemize due to the prodigious number of items involved.

3. Enclosure (1) lists deficiencies in the electronics department. The total value of the ERPAL parts needed for full operational readiness is \$1,134.12. These items are critical.

4. Enclosure (2) contains shortages found in the damage control department. Part One lists fire-fighting equipment considered to be critical. The total value of these deficiencies is \$38.15. Part Two is a listing of miscellaneous items totaling \$1703.90 (non-critical).

5. Engineering department shortages are listed in enclosure (3). The only item considered critical is the batteries for the station's vehicles. At the present time we have only enough batteries to operate two vehicles instead of ~~ten~~ allowance number of three.

6. There are a number of items listed in enclosure (4) which are required for disaster preparedness. Not mentioned in this enclosure but in reference (b) is the hasty shelter plan.

BELOWING IS A LIST OF PARTS OR EQUIPMENT DEFICIENCIES FOR MY DEPARTMENT
(ELECTRONICS)

| NAME | PSN OR REFERENCE | NO. | COAST RA- | TOTAL |
|-------------------------------------|--|-----|-----------|--------|
| TUBE 6AQ5 | 98 5960 581 8832 | 5 | | 3.15 |
| TUBE 12AV7 | 98 5960 752 5892 | 10 | .72 | 7.20 |
| TUBE 5RP5 | 98 5960 581 8832 | 1 | | 120.00 |
| TUBE 581 | | | .79 | 15.00 |
| TUBE 5Z4 | 98 5960 284 5823 | 5 | 6.53 | 32.65 |
| TUBE 77012 | 06 5960 578 1108 | 4 | 90.00 | 360.00 |
| BEARING | 98 3110 107 7572 | 3 | .68 | 2.04 |
| BLOWER | Encl: (1) Electronics department shortages | | 165.00 | 165.00 |
| BLOWER | (2) Damage Control deficiencies | | | |
| BLOWER | (3) Engineering department deficiencies | | 50.52 | 50.52 |
| BLOWER | (4) Disaster preparedness deficiencies | | 154.00 | 154.00 |
| BLOWER | (5) Ammunition deficiencies | | | |
| TRANSFORMER | copy to: 6120 447 5736 | 1 | 206.41 | 206.41 |
| CAPACITOR | CCGD17 (e) (w/o encl. 5) | 3 | 5.90 | 17.70 |
| LAMP | 98 6240 011 5273 | 10 | .05 | .50 |
| LAMP | 98 6240 143 3060 | 50 | .16 | 8.00 |
| LAMP | 98 6240 143 3133 | 5 | .17 | .85 |
| LAMP | 98 6240 155 7857 | 15 | .19 | 2.85 |
| LAMP | 98 6240 155 7967 | 15 | .10 | 1.50 |
| LAMP | 98 6240 155 8706 | 10 | .04 | .40 |
| LAMP | 98 6240 179 1811 | 15 | .06 | .90 |
| LAMP | 98 6240 223 9100 | 20 | .12 | 2.40 |
| LAMP | 98 6240 244 0483 | 15 | .63 | 9.45 |
| 3. Lamp, Radio, Genl | | 1 | | 9.75 |
| 4. Lamp, Self-Propelled | | 1 | | 9.75 |
| 5. Lamp, Self-Propelled | | 1 | | 9.75 |
| 6. Lamp | | 1 | | 9.75 |
| 7. Cartridges, 150-Cal Dry Chemical | | 2 | | 37.80 |
| 8. Cartridges, 150-Cal Dry Chemical | | 2 | | 37.80 |
| 9. Cartridges, 150-Cal Dry Chemical | | 2 | | 37.80 |
| 10. Lamp, Radio | | 1 | | 9.75 |
| 11. Lamp, Radio | | 1 | | 9.75 |

B. D. BENSON

TOTAL 1,134.12

ENCLOSURE # 1

W. & W. with CT...

THE FOLLOWING IS A LIST OF PARTS OR EQUIPMENT DEFICIENCIES FOR MY DEPARTMENT

(ELECTRONICS)

| <u>NAME</u> | <u>FSN OR REFERENCE</u> | <u>NO.</u> | <u>COAST EA.</u> | <u>TOTAL</u> |
|---|-------------------------|------------|------------------|--------------|
| TUBE 6AQ5 | 9N 5960 681 9802 | 5 | .63 | 3.15 |
| TUBE 12AT7 | 9N 5960 752 5892 | 10 | .72 | 7.20 |
| TUBE 5RP2 | 9N 5960 261 8652 | 1 | 120.00 | 120.00 |
| TUBE 5814 | 9N 5960 262 0210 | 20 | .79 | 15.80 |
| TUBE 5R4 | 9N 5960 284 5823 | 5 | 6.53 | 32.65 |
| TUBE F7012 | CG 5960 578 1108 | 4 | 90.00 | 360.00 |
| BEARING | 9Z 3110 107 7572 | 3 | .68 | 2.04 |
| BLOWER | CG 4450 202 6830 | 1 | 165.00 | 165.00 |
| BLOWER | CG 4450 277 4180 | 1 | 60.52 | 60.52 |
| BLOWER | CG 4450-289-0028 | 1 | 154.00 | 154.00 |
| BLOWER | CG 4450 540 1099 | 1 | 116.50 | 116.50 |
| TRANSFORMER | CG 6120 647 5736 | 1 | 206.41 | 206.41 |
| CAPACITOR | 9N 5910 946 6727 | 3 | 5.90 | 17.70 |
| LAMP | 9G 6240 011 5273 | 10 | .05 | .50 |
| LAMP | 9G 6240 143 3060 | 50 | .16 | 8.00 |
| LAMP | 9G 6240 143 3133 | 5 | .17 | .85 |
| LAMP | 9G 6240 155 7857 | 15 | .19 | 2.85 |
| LAMP | 9G 6240 155 7967 | 15 | .10 | 1.50 |
| LAMP | 9G 6240 155 8706 | 10 | .04 | .40 |
| LAMP | 9G 6240 179 1811 | 15 | .06 | .90 |
| LAMP | 9G 6240 223 9100 | 20 | .12 | 2.40 |
| LAMP | 9G 6240 244 0483 | 15 | .65 | 9.75 |
| 3. Saw, Table, Band | Sears | 1 | Approx. \$134.00 | \$134.00 |
| 4. Mower, Self, Propelled | Sears (32K2500H) | 1 | APPROX. \$469.95 | \$469.95 |
| 5. Heavy, Duty, Rotary Blade | Sears (32K25201H) | 1 | Approx. \$147.95 | \$147.95 |
| 6. OBA | 284248-174-1365 | 3 | Approx. \$15.00 | \$45.00 |
| 7. Extinguisher (20lb-Dry Chemical) | 4210-965-1108 | 2 | Approx. \$21.00 | \$42.00 |
| 8. Cartridges, As Spares For 20lb. Dry Chemical | 184220-372-0585 | 2 | Approx. \$7.00 | \$7.00 |
| 9. Cartridges, As Spares For 10lb. Dry Chemical | 4210-812-2631 | 14 | Approx. \$4.95 | \$69.30 |
| 10. Minette Set | Sears | 1 | Approx. \$25.00 | \$25.00 |
| 11. Chair Without Arms | 7110-082-6225 | 2 | \$12.80 | \$25.60 |

TOTAL 1,134.12

ENCLOSURE # 1

W. E. With ET-2

The following is a list of parts or equipment deficiencies for the DC Department.

| Name | FSN Or Reference | No. | Cost Ea. | Total |
|---|------------------|-----|----------------|---------|
| 1. Critical Shortages: | | | | |
| 12. Lamp, Red | ISESH Sears | 8 | \$4.00 | \$32.00 |
| 13. Lamp, Flat, Electric | 7330-686-5074 | 1 | \$55.00 | \$55.00 |
| 14. Fire Ax | 9C4210-639-9630 | 4 | \$7.50 | \$30.00 |
| 15. Charge For CO2 Extinguisher | 4210-624-9597 | 1 | \$8.15 | \$8.15 |
| 16. Rain, Gear | 82310-379-4202 | 11 | Approx. 7.27 | \$80.00 |
| 17. Mittens Including Shell And Inserts | 81310-091-0107 | 11 | Approx. \$3.27 | \$35.97 |
| Subtotal(Critical) | | | | \$38.15 |

Subtotal(Non-critical) \$1703.90

2. Non-Critical Shortages

| Name | FSN | No. | Cost Ea. | Total |
|---|------------------|-----|------------------|----------|
| 1. Saw, Radialarm | Sears | 1 | Approx. \$200.00 | \$200.00 |
| 2. Saw, Jig, Table Model | Sears | 1 | Approx. \$130.00 | \$130.00 |
| 3. Saw, Table, Band | Sears | 1 | Approx. \$134.00 | \$134.00 |
| 4. Mower, Self, Propelled | Sears(32K2500N) | 1 | APPROX. \$469.95 | \$469.95 |
| 5. Heavy, Duty, Rotary Blade | Sears(32K25201N) | 1 | Approx. \$147.95 | \$147.95 |
| 6. OBA | 2H4240-174-1365 | 3 | Approx. \$15.00 | \$45.00 |
| 7. Extinguisher(20Lb-Dry Chemical) | 4210-965-1108 | 2 | Approx. \$20.50 | \$41.00 |
| 8. Cartridges, As Spares For 20Lb. Dry Chemical | 1H4220-372-0585 | 2 | Approx. \$7.00 | \$7.00 |
| 9. Cartridges, As Spares For 101b, Dry Chemical | 4210-812-2631 | 14 | Approx. \$4.95 | \$64.40 |
| 10. Dinette Set | Sears | 1 | Approx. \$25.00 | \$25.00 |
| 11. Chair Without Arms | 7110-082-6225 | 2 | \$12.80 | \$25.60 |

Non-Critical Shortages Continued:
(Engineering)

1. CRITICAL SHORTAGES

| Name | FSN Or Reference | No. | Coast Ea. | Total |
|--|------------------|-----|-----------------|--|
| 12. Lamp, Bed | XSEYS Sears | 8 | \$4.00 | \$32.00 |
| 13. Iron, Flat, Electric | 7290-686-5934 | 1 | \$35.00 | \$35.00 |
| 14. N-1 Partka, Coat, Type A-2 | | 8 | Approx. \$18.56 | \$150.00 |
| 15. Overalls, Type A-2 | FSN or REFERENCE | 9 | Approx. \$8.33 | \$75.00 |
| 16. Rain, Gear | 9C2815-379-4301 | 11 | Approx. 7.27 | \$80.00 |
| 17. Mittens Including Shell And Inserts | 9C2815-371-5367 | 11 | Approx. \$3.27 | \$35.00 |
| AIR COMPRESSOR PARTS ALLOWANCE LIST | | | | Subtotal (Non-critical) \$1703.90 |
| Main bearing (plain end) | 12C19 | 1 | EST. \$2.50 | \$2.50 |
| End plate shim | 77A114 | 2 | EST. \$0.75 | \$0.75 |
| End plate shim | 77A115 | 2 | EST. \$0.75 | \$0.75 |
| Submitted 10 May, 1972 | | | | |
| DC3 Steve Younger | | | | Enclosure 2 |

SUBMITTED 10MAY 1972

EN2 WILLIAM S. HARRIS EPC

enclosure 3
ENCLOSURE

The following is a list of Equipment shortages. The reference stating that we are required to have these items is CSUB17

The following is a list of parts or equipment deficiencies for my department (Engineering)

No stock no's are available.

1. CRITICAL SHORTAGES

| NAME | FSN or REFERENCE | NO. | COST EA | TOTAL |
|------------------------|-------------------|-----|---------|----------|
| Batteries for vehicles | GSA 6140-822-0419 | 4 | \$34.00 | \$138.00 |
| | | 2 | | |
| | | 1 | | |
| | | 10 | | |

2. NON CRITICAL SHORTAGES

| NAME | FSN or REFERENCE | NO. | COST EA | TOTAL |
|---|------------------|-----|--------------|---------|
| Biological Sampling Kit | | 1 | | |
| Gasket set eng. overhaul | 9C2815-379-4301 | 2 | \$16.13 | \$32.26 |
| Gasket set, head overhaul | 9C2815-371-5367 | 2 | \$8.21 | \$16.42 |
| Dispenser, Ethylene Oxide | | 12 | | |
| AIR COMPRESSOR PARTS | ALLOWENCE LIST | NO. | COST EA. | TOTAL |
| Main bearing(plain end) | 12C19 | 1 | EST. \$2.50 | \$2.50 |
| End plate shim | 77A114 | 2 | EST. \$0.75 | \$0.75 |
| End plate shim | 77A115 | 2 | EST. \$0.75 | \$0.75 |
| Hypochlorinate, Chloro-o Feeder | | 1 | EST. \$20.00 | \$20.00 |
| Leather Dressing Vesicant Gas Resistant M-2 | | 50 | | |

SUBMITTED 10MAY 1972

William D. Hanna
 EN2 WILLIAM D. HANNA EPO

enclosure 3
 enclosure

ENCLOSURE 4

UNCLAS
 13 MAY 72
 TO: LONSTA OCEAN CAPE
 TO: CEGDSEVENTEEN

The following is a list of Equipment shortages. The reference stating that we are required to have these items is CEGD17 OPLAN 1-YR, ANNEX MIKE. (Distaster Preparedness)

No stock no's are available.

The following is a list of ammunition shortages.

(a) CG 373 appendix A establishes services allowances

(b) CG 373 appendix 13 establishes training allowances

| ITEM | TOTAL AMT. REQ. | TOTAL ON HAND OR ORDERED | NO. SHORT | SHORTAGE |
|---|-----------------|--------------------------|-----------|----------|
| AN/PDR-27 | | | 2 | |
| IM-143/PD | | | 1 | |
| IM-107/PD | | | 10 | |
| CP-95/PD | | | 1 | |
| 5.56mm ball | 4970 | 1324 | 1 | 2746 |
| 5.56mm tracer | 160 | 000 | 1 | 160 |
| 45 cal. ball | 3100 | 899- 3300 | 1 | 000 |
| Biological Sampling Kit | | | 1 | |
| Chemical Detection Kit M-15A2 | | | 1 | |
| Chemical Detection Kit M-18A2 | | | 1 | |
| Dispenser, Ethylene Oxide | | | 12 | |
| Atropine | | | 215 mg. | |
| Markers, NBC Contaminations Set | | | 10 | |
| Protective Mask M19A1 or M17 | | | 12 | |
| Winterization Kit for M19A1 | | | 11 | |
| Permeable Clothing Sets | | | 10 | |
| Impermeable Clothing Sets | | | 5 | |
| Leather Dressing Vesicant Gas Resistant M-2 | | | 50 | |

SUBMITTED 10 MAY 1972

En2 W. D. Hanna

EN2 W. D. HANNA

enclosure 5

ENCLOSURE 4

DPI DAN P
 REC WDR
 HTL

220152 MAY 72
EDGARD LORSTA OCEAN CAPE
TO CCGDSEVENTEEN

BT
UNCLAS E F T O

1. CRITICAL SHORTAGES
 - A. ERPAL 1134 DOLS
 - B. STATION VEHICLE BATTERIES 145 DOLS
 - C. FIRE FIGHTERS EQUIP 48 DOLS

The following is a list of ammunition shortages.

2300 RDS. TRACER 160 RDS, 45 CAL

- (a) CG-272 appendix A establishes services allowance
- (b) CG-272 chapter 13 establishes training allowance

BT

| TYPE OF AMMUNITION | TOTAL AMT. REQ. | TOTAL ON HAND OR ORDERED | SHORTAGE |
|--------------------|-----------------|--------------------------|----------|
| LG 5.56mm ball | 4070 | 1324 | 2746 |
| 5.56mm tracer | 160 | 000 | 160 |
| 45 cal. ball | 3100 | --800- 3300 | 000 |

SUBMITTED 10 MAY 1972

William D. Hanna
EN2 William D. Hanna

enclosure 5

OPI

Rec

✓
OSR
DC
OAN
UR
OTL

M
P

Jm

1008558

ISEI MARU
WYO MARU

JHCV 54.4N 175.8W C263 13.8K

JQVJ 54.2N 177.5W C887 11.7K H8 R

OTARU 16
MOJI 19

00P52Z

RCC/OIL/AMVER

100855Z MAY 72
TO CCGDSEVENTEEN

BT
UNCLAS E F T O

- 1. CRITICAL SHORTAGES
 - A. ERPAL 1134 DOLS
 - B. STATION VEHICLE BATTERIES 145 DOLS
 - C. FIRE FIGHTERS EQUIP 40 DOLS
 - D. AMMUNITION 5.56 MM BAL 2760 RDS, TRACER 160 RDS, 45 CAL 2300 RDS.
 - E. NBC DEFENSE-HOLD VERY FEW OF REQ ITEM. NO DOLLAR AMOUNTS AVAILABLE. NO HASTY SHELTER PLANS.
- 2. NON CRITICAL SHORTAGES-1774 DOLS.

BT

LG

| | | |
|------------|-----|--------------|
| JCS | ✓ | M |
| DI | OSR | E |
| DL | OC | F |
| DPI | CAN | P |
| ✓Rec | ✓OR | |
| | ✓TL | |

JM

100855Z

| | | | | | | | | |
|-----------|------|-------|--------|------|-------|----------|-------|----|
| ISEI MARU | JHCV | 54.4N | 175.0W | C263 | 13.0K | | OTARU | 16 |
| IKO MARU | JQVJ | 54.2N | 177.5W | C087 | 11.7K | H8 R VXZ | MOJI | 19 |

008527

RCC/au/lan...

10 MAY 72 02 03z

PTTUZYUW RUWMDMA0118 1300045-UUUU--RUWMNAA RUWMFUA.

ZNR UUUUU

RUWMNAA -T- BOSDET ANCHORAGE

RUWMFUA -T- CGC STORIS

P 100045Z/31 MAY 72

FM CCGDSEVENTEEN

TO ALL UNITS UNDER MY COMMAND

XMT USCGC SEDGE

USCGC SORREL

USCGC BITTERSWEET

USCGC CAPE ROMAIN

USCGC CAPE HENLOPEN

COGARD LORSTIA ATTU

COGARD LORSTIA SITKINAK

COGARD MIO KETCHIKAN

COGARD COTP KETCHIKAN

COGARD OCM1/COTP ANCHORAGE

COGARD RECRUITOFF ANCHORAGE

BT

UNCLAS

1. SUBMIT CRITICAL AND NON-CRITICAL ALLOWANCE LIST DEFICIENCIES.

BT

#0118

1116473

NNNN

DCS: LES

ACTN: GEN DIST STAFF

ALUNITS

ALUNITS FILE

JF

100045Z

ALUNITS 31/72



DEPARTMENT OF TRANSPORTATION
UNITED STATES COAST GUARD

MAILING ADDRESS:

Commanding Officer
USCG Lorsta Ocean Cape
Yakutat, Alaska 99689


4441

From: Commanding Officer, USCG Lorsta Ocean Cape, Yakutat Alaska
To: Commander, Seventeenth COAST GUARD District (e)

Subj: Report on the Condition of ERPAL

Ref: (a) CCGD17INST 4441.1, dtd 27 May, 1969

1. On 11/7/72 a complete ERPAL inventory was completed. The allowance as specified on Section F of the ERPAL was checked against the Stock Card allowances and the Stock Record Card balance was checked against the spare parts in the bins.
2. There is a deficiency in 111 line items. This deficiency indicates a monetary deficiency of \$1629.58.
3. My Subhead 30 (electronics) balance as of 11/8/72 was \$89.29.
4. My present funds are insufficient to cover this discrepancy and I require a one time increase of \$1600.00. I have a program in effect to procure the replacement parts and estimate that my allowance will be 100% complete one month after funds are provided.
5. The reason for this shortage is due to the requirements of maintaining an efficient PM program plus the high failure rate of F7012 tubes during the past year. With normal useage of parts and tubes this unit's Subhead 30 for the electronics department has not allowed any money to make up the deficiency in the ERPAL shortage.
6. Comments:
 - A. This deficiency does not include the allowed deficiency of \$1948.09.
 - B. This inventory was part of the installation of the new ERPAL Package.


B.D. BENSON

copy to

• oan ✓

Commanding Officer
USCG LORSTA Ocean Cape
Yakutat, Ak.

3200
17 May 72

From: Commanding Officer, USCG LORSTA Ocean Cape
To: Commander, Seventeenth Coast Guard District (see)

Subj: Critical Shortage Letter; updating of

Ref: (a) TELECON, LTJG R. PIERCE/LTJG B. BENSON, 16 May 72
(b) CO Ocean Cape ltr 3200 dtd 12 May 72

1. In accordance with reference (a), I am submitting a list of items previously included in reference (b) that were ordered this date.
2. The following items were ordered: five 6AQ5 tubes; ten 12AT7 tubes; twenty 5814 tubes; five 5R4 tubes; one F7012 tube.
3. To date we are short on seventeen line items, the total cost being \$985.32. (ERPAL only)

B. D. BENSON

Copy to:

CCGD 17 (oan)